SPHINX SURVEILLANCE

SPHINX SURVEILLANCE MASTER INTEL PACK & WORKING DOSSIER

DOCUMENT DIRECTORY: SPHX-WDP-2026-FINAL-V3
CLASSIFICATION: OSINT FOR PUBLIC DISSEMINATION
RELEASE DATE: 28 September 2026
METHODOLOGY: SPHINX PERIMETER SURVEILLANCE & RESILIENCE DOCTRINE
PRODUCTION NOTICE: The intelligence, technical schemas, and structural recommendations compiled within this pack have been generated via a hybrid synthesis of **Advanced Artificial Intelligence Operations (AIOps)** data processing and **Traditional Tactical Investigation Skills** (covert reconnaissance, situational analysis, and threat perimeter mapping).

METHODOLOGY VALIDATION CERTIFICATE

```
┌──────────────────────────────────────────────────────────────────────────────┐
│                        SPHINX SURVEILLANCE SYSTEMS                           │
│                  OPEN SOURCE INTELLIGENCE (OSINT) LABS                       │
│                                                                              │
│  CERTIFICATE ID: SPHX-OSINT-VAL-2026-0928                                    │
│  SUBJECT MATTERS: UK CSRB 2026 / NCSC CAF / ISO-IEC 27001 REGULATORY         │
│                                                                              │
│  This validation certificate attests that all open-source data,              │
│  legislative timelines, framework mappings, and contract structures          │
│  contained in this Master Working Document have been audited under           │
│  the Sphinx Savage Surveillance Method.                                      │
│                                                                              │
│  VERIFICATION DOCTRINE CHECKLIST:                                            │
│  [X] Dual-Source Corroboration (Hansard, Gov.uk, NCSC, House of Lords)       │
│  [X] Temporal Consistency Audit (Current Legislative Slate: Sept 2026)       │
│  [X] Technical Rigour Review (NCSC CAF v4.0 Enhanced Profile Baseline)       │
│  [X] Downstream Chain-of-Custody Contract Mapping Checked                    │
│                                                                              │
│  The data sets, contact routing profiles, and metrics within this dossier    │
│  are hereby verified as authentic, up-to-date, and thematically sound for    │
│  public dissemination under OSINT protocols.                                 │
│                                                                              │
│  Certified By:                                                               │
```

```
|  James Swallow-Gaunt, Director of Surveillance
Operations              |
└──────────────────────────────────────────────────────────────────────
──────┘
```

INTERNAL BRIEFING MEMO

TO: All Operations Personnel, Threat Intelligence Analysts, Field Investigators
FROM: Director of Surveillance Operations
DATE: 28 September 2026
SUBJECT: Structural Deployment of the Sphinx Methodology to Corporate and Regulatory Perimeters

Purpose

This memorandum defines the standard operating criteria for using the Sphinx Surveillance Method to analyse macroeconomic and regulatory landscapes. Personnel must understand that our methodology translates physical perimeter surveillance and covert intelligence tracking rules directly into regulatory analysis. We map a legislative framework or a supply-chain layout exactly the same way we map a physical venue during a corporate security reconnaissance deployment.

Operational Context

As of **September 2026**, the UK's Cyber Security and Resilience Bill (CSRB) is undergoing active line-by-line scrutiny in the House of Lords Public Bill Committee, following its successful passage through the House of Commons earlier this year. This master working document has been evaluated using our strict verification protocols to compile all tactical components into an unclassified, public-ready reference.

Directives

1. **Supply Chain Surveillance:** Every analyst must treat software repositories and Managed Service Providers (MSPs) as the primary human and digital perimeters under observation.
2. **Telemetry Enforcement:** Use the Technical Benchmarking and Scripts sections of this pack to evaluate client infrastructures against the NCSC Cyber Assessment Framework (CAF). Non-compliance with the 15-minute idle session rule must be treated as an unmonitored opening in a perimeter hedge.
3. **Vetting Assessments:** When analysing insider risks, investigators must audit foreign national technical dependencies. Ensure that our clients utilize the contract flow-down clauses detailed in Section 5 to legally secure their supply boundaries.

TABLE OF CONTENTS

- **PART I: THREAT INTELLIGENCE & GEOPOLITICAL RECONNAISSANCE**

- 1. Executive Summary Abstract
- 1. Target Perimeter Mapping: Systemic Need & Target Sectors
- 1. Structural Strengths & Weaknesses Analysis
- 1. Human Perimeter Reconnaissance & Insider Threat Vulnerabilities
- 1. Geopolitical Contrast: The UK Model vs. The Finnish Method

- **PART II: COMPLIANCE CHEAT SHEET & PROCESS FLOW DIAGRAM**
  - 1. CNI Cyber Compliance Cheat Sheet
  - 1. Step-by-Step Incident & Catch-Up Process Flow Diagram
- **PART III: GOVERNANCE, FRAMEWORK & CONTRACTUAL BASELINES**
  - 1. Regulatory Overlap Matrix: NCSC CAF v4.0 vs. ISO/IEC 27001:2022 vs. NIST SP 800-53
  - 1. Specific Indicators of Good Practice (IGPs) for CAF Principle B2
  - 1. Contractual DCS Drafting: Downstream Subcontractor Flow-Down Clauses
  - 1. Active Directory Group Policy (GPO) XML Backup Structure
- **PART IV: TECHNICAL INTERFACES, CODE & SCRIPTS**

- 1. Native Endpoint Idle Lock Enforcement Scripts (Windows & Linux)
- 1. Microsoft Intune Custom JSON OMA-URI Profile Configuration
- 1. PowerShell Graph SDK Deployment Runbook
- 1. Cross-Border Notification Engine Python API Script (With Exceptions Layer)
- 1. SIEM / UEBA Compliance Monitoring Detection Logic
- 1. Snort 3 Network-Level Out-of-Band Management Defences
- 1. Automated Response Scripts: Regional DNS Cache Flush
- 1. Linux Kernel Anti-Tamper Monitoring Script (Local Agent Security)

- **PART V: STANDARDISED OPERATIONAL PROCEDURES**
  - 1. Incident Notification Procedures (24-Hour Statutory Window)
  - 1. Tabletop Exercise Script: Operation Golden Hour
  - 1. Post-Incident Containment Reporting Form (Air-Gapped Exception Protocol)
  - 1. Post-Incident Recovery Runbook (Air-Gapped Purge Protocol)

    - 1. Regulatory Compliance Audit Evidence Reporting File
- **PART VI: OPERATIONAL CONCLUSIONS & STRATEGIC RECOMMENDATIONS**
    - 1. Formal Conclusions
    - 1. Actionable Recommendations
- **PART VII: EXECUTIVE BOARDROOM STRATEGY & COMPLIANCE FAQS**
    - 1. Presentation Speech Scripts & Talking Points
    - 1. Statutory Auditor Audit Strategy FAQs

PART I: THREAT INTELLIGENCE & GEOPOLITICAL RECONNAISSANCE

1. Executive Summary Abstract


This master working dossier uses the Sphinx Surveillance Method to examine the evolving digital and human perimeters of the UK's upcoming cyber resilience framework. By mapping out dependencies across critical infrastructure, this report looks at the **Cyber Security and Resilience Bill (CSRB)**, which updates the legacy Network and Information Systems (NIS) Regulations 2018.

The analysis evaluates how the bill brings new sectors—specifically **data centre service providers** (with a rated IT load of ≥1 MW) and **Managed Service Providers (MSPs)**—under direct regulatory oversight. It explores the practical operational issues caused by strict 24-hour incident reporting rules, the logistical challenges of vetting foreign national personnel, and the technical overlaps between the **NCSC Cyber Assessment Framework (CAF)**, **ISO/IEC 27001:2022**, and **NIST SP 800-53 Rev. 5** controls. Finally, it contrasts the UK's top-down approach with Finland's collaborative "Total Defence" infrastructure protection model.

2. Target Perimeter Mapping: Systemic Need & Target Sectors

Applying the Sphinx surveillance method requires shifting focus away from reactive threat mitigation toward total perimeter mapping and supply-chain dependency tracking. Post-implementation reviews of the legacy NIS Regulations exposed clear vulnerabilities. Modern threat networks and state actors (specifically identified by the National Cyber Security Centre

(NCSC) as Russia, China, Iran, and North Korea) no longer focus exclusively on attacking core systems directly. Instead, they exploit adjacent, unregulated perimeters.



The CSRB explicitly expands the statutory regulatory boundary to capture critical infrastructure sub-sectors:

- **Data Centres & Colocation Hubs:** Officially classified as part of the data infrastructure sub-sector for facilities operating with a Rated IT Load (RITL) of **≥1 megawatt (MW)** for non-enterprise or ≥10 MW for enterprise sites.
- **Relevant Managed Service Providers (RMSPs):** Regulated due to their extensive network access, acting as high-value aggregation points that link directly into primary critical national infrastructure (CNI) environments.
- **Large Load Controllers:** Assets managing over **300 MW** of electrical demand at the grid edge, which present potential system disruption vectors if manipulated simultaneously.
- **Aviation Networks:** Air Traffic Management (ATM) systems, flight operations frameworks, and airport logistical networks where software exploits present rapid ground-stop potentials.
- **Water Processing Utilities:** SCADA controls and automated chemical dosing pumps where malicious code overrides can alter water chemistry attributes before manual alerts fire.
- **Maritime Logistics Hubs:** Terminal Operating Systems (TOS) and crane handling switches managing just-in-time cross-border supply chains.

3. Structural Strengths & Weaknesses Analysis

A Sphinx assessment highlights a structural tension between aggressive tracking powers and friction-heavy enforcement loops:

Core Strengths

- **Elimination of "Silent Failures":** Implements a rigid **two-stage incident reporting window**. Entities must issue an early warning to regulators within **24 hours** of detecting a significant incident, followed by a detailed report within 72 hours. This provides defensive agencies with immediate, real-time threat tracking capability.
- **Supply Chain Vector Control:** By codifying the concept of a **Designated Critical Supplier (DCS)**, regulators can enforce legal security baselines downstream onto private vendors.
- **Asymmetric Financial Deterrence:** It gives regulators aggressive enforcement powers, backed by GDPR-aligned fines of up to **£17 million or 4% of global turnover**. This forces boardrooms to treat cybersecurity as a matter of existential corporate governance.

Identified Weaknesses

- **The Ransomware Omission:** A major strategic gap is that the bill **does not ban ransomware payments** or mandate economy-wide reporting of ransomware distributions. Attackers can still leverage financial extortion "in the shadows".
- **Regulatory Overlap and Cost Burden:** The bill allows regulators to recover 100% of their operational enforcement costs directly from the businesses they inspect. This creates high compliance costs that could strain mid-market MSPs.
- **Secondary Legislation Bottlenecks:** The bill establishes a framework but relies heavily on future secondary legislation to define the precise technical requirements, resulting in temporary regulatory ambiguity.

4. Human Perimeter Reconnaissance & Insider Threat Vulnerabilities

The Sphinx doctrine views the human layer as a critical physical and logical boundary. Sophisticated adversaries increasingly rely on exploiting insider access or weak cross-border tracking protocols.

- **The Outsourcing Loophole:** Data centres and MSPs frequently rely on global software development pools and international sub-contractors, creating unverified access vectors.
- **Enhanced Foreign National Vetting:** Under UK government policy statements, CNI entities must legally verify the backgrounds of third-party engineers.
- **Vetting Logistical Friction:** Traditional UK vetting processes like Security Check (SC) or Developed Vetting (DV) require extensive UK residency records. Applying these to foreign national technical specialists creates severe talent recruitment delays amidst an acute domestic cyber skills shortage.
- **Foreign State Leverage:** Under foreign domestic laws (e.g., China's National Intelligence Law), foreign nationals or entities operating within the UK can be legally compelled to facilitate unauthorised surveillance or build backdoors into UK systems.

5. Geopolitical Contrast: The UK Model vs. The Finnish Method

The Sphinx assessment reveals a fundamental divergence between the proposed UK strategy and the Nordic model, pioneered by Finland:

- **The UK Model:** A top-down, compliance-heavy, and punitive framework that mimics the EU's NIS2 Directive. It relies on auditing bodies, rigid reporting deadlines, and financial coercion (£17m fines) to force commercial businesses into alignment.
- **The Finnish Method (Kokonaisturvallisuus):** A "Total Defence" doctrine built on deeply ingrained public-private trust. Led by agencies like the National Emergency Supply Agency (NESA), Finland integrates infrastructure operators into continuous, voluntary intelligence circles.
- **Personnel Vetting Agility:** While the UK encounters administrative backlogs with its residency-dependent SC/DV vetting pipelines, the Finnish Security Intelligence Service (Supo) executes rapid, collaborative clearances natively through trusted public-private loops, treating private tech staff as core civil defenders rather than audited third parties.

PART II: COMPLIANCE CHEAT SHEET & PROCESS FLOW DIAGRAM

6. CNI Cyber Compliance Cheat Sheet

- **24-Hour Early Warning Notice:** Absolute deadline to submit initial high-level operational impacts to Ofcom, Ofgem, or the ICO upon detection of a Category 1-3 infrastructure disruption.
- **72-Hour Detailed Forensic Report:** Fixed regulatory window following the 24-hour notification to deliver IoCs, impact radius metrics, exfiltration bounds, and DCS attribution details.
- **15-Minute Session Idle Timeout:** Mandatory native endpoint restriction. Systems must automatically lock screens and require re-authentication. No user-level bypass allowed.
- **1-Hour Ephemeral Privileged JIT Leases:** Total elimination of permanent admin footprints. Privileged credentials must be checked out for specific tasks and auto-expire after 60 minutes.
- **DoD 5220.22-M 3-Pass Deletion:** Minimum forensic data sanitization benchmark for temporary storage caches. Requires Linux shred or Windows sdelete execution across raw blocks.
- **100 EPS Minimum Recovery Performance:** The baseline throughput threshold for Log stash pipelines during catch-up phases. Anything lower triggers automatic P1 tickets via Logic App integrations.

7. Step-by-Step Incident & Catch-Up Process Flow Diagram

```
 [STAGE 1: MONITOR & DETECT]
    │
    ├── SOC SIEM / Snort flags OOB Exfiltration (UDP 623) or MFA
Bypass
    └── UEBA Profile calculates geographic velocity discrepancy
(>500 mph)
    │
 [STAGE 2: CONTAIN & ENFORCE (HOUR 00:00 - 02:00)]
    │
    ├── Logic App "Sphinx-Enforce-PerimeterLockout" triggers
```

```
natively
    ├── Entra ID account disabled; active user tokens revoked within
5 mins
    └── Local Endpoint Enforcer executes regional DNS cache flush
    │
 [STAGE 3: RECOVERY ENCLAVE SPILLOVER (IF WAN DROPS)]
    │
    ├── Python Engine identifies timeout or HTTP 503 Enclave Outage
    ├── AirGappedFallbackHandler active; redirects records to POSIX
0700 vault
    └── File system appends local records and locks via 'chattr +a'
    │
 [STAGE 4: WAN RESTORATION & CATCH-UP (LOGSTASH METRICS)]
    │
    ├── Logstash input reads local secure database cache from
beginning
    ├── Evaluates execution performance metrics: If Velocity drops <
100 EPS
    │      └── YES ──> Trigger Logic App "Sphinx-Escalate-
ServiceNowDrop" (Re-open Loop)
    │      └── NO  ──> Normalised ingestion completed; cloud receipt
token issued
    │
 [STAGE 5: FORENSIC PURGE & REGULATORY EVIDENCE LOGGING]
    │
    ├── Runbook "SPHX-RVK-PURGE-01" active; clears 'chattr -a' flags
    ├── Execute 3-Pass secure nvme crypto-erase or block-level
overwrite
    └── Output "SPHX-REG-AUDIT-2026-0928" evidence reporting file to
Auditors
```

PART III: GOVERNANCE, FRAMEWORK & CONTRACTUAL BASELINES

8. Regulatory Overlap Matrix: NCSC CAF v4.0 vs. ISO/IEC 27001:2022 vs. NIST SP 800-53

NCSC CAF v4.0 Enhanced Profile	Mapped ISO/IEC 27001:2022 Controls	Mapped NIST SP 800-53 Rev. 5 Controls	Cross-Framework Compliance Requirement & Technical Verification Target
B2.a Identity Verification, Authentication, and Authorisation	**A.6.1** (Screening) **A.5.15** (Access Control)	**IA-2** (Identification and Authentication) **IA-8** (Identification and Authentication	**Requirement:** Enforce cryptographic verification profiles before granting access.

NCSC CAF v4.0 Enhanced Profile	Mapped ISO/IEC 27001:2022 Controls	Mapped NIST SP 800-53 Rev. 5 Controls	Cross-Framework Compliance Requirement & Technical Verification Target
	A.5.17 (Authentication Info)	- Non-Organizational Users)	**Technical Target:** Map identity tracking systems to enforce local BPSS registration for UK networks, and NIST-aligned PIV/CAC card checks for US environments.
B2.b Device Verification and Authentication	**A.8.20** (Network Security) **A.8.1** (User Endpoint Devices)	**IA-3** (Device Identification and Authentication) **AC-20** (Use of External Information Systems)	**Requirement:** Restrict logical access exclusively to authorized and verified hardware endpoints. **Technical Target:** Implement conditional access validation routines via machine certificates; block any unmanaged contractor endpoints from interacting with core infrastructure planes.
B2.c Privileged User Management	**A.8.2** (Privileged Access Rights) **A.8.4** (Access to Source Code)	**AC-2 (2)** (Privileged Accounts) **AC-3** (Access Enforcement) **AC-5** (Separation of Duties)	**Requirement:** Completely remove persistent administrative footprints; replace with dynamic authorization loops. **Technical Target:** Implement ephemeral **1-hour Just-In-Time (JIT)** administrative credential lifetimes. Mandate dual authorization ("four-eyes" control) for low-level configuration modifications.
B2.d Identity and Access Management (IdAM) as a Discipline	**A.6.5** (Asset Return) **A.6.6** (Termination Requirements) **A.5.18** (Access Rights)	**AC-2 (3)** (Account Termination) **IA-4** (Identifier Management)	**Requirement:** Automated identity lifecycle tracking, including instant off boarding paths. **Technical Target:** Establish webbook configurations to achieve **real-time logical access revocation within 5 minutes** of an individual's

NCSC CAF v4.0 Enhanced Profile	Mapped ISO/IEC 27001:2022 Controls	Mapped NIST SP 800-53 Rev. 5 Controls	Cross-Framework Compliance Requirement & Technical Verification Target
			role reassignment or separation event.
B6.a/b Staff Awareness and Security Culture	**A.6.3** (Security Awareness) **A.6.4** (Disciplinary Process)	**AT-2** (Literacy Training and Awareness) **AT-3** (Role-Based Training)	**Requirement:** Deliver targeted threat briefing modules mapping to local geographical exposure risk arrays. **Technical Target:** Provide defensive training paths addressing foreign state intelligence operations, coercion vectors, and structured internal insider reporting procedures.

9. Specific Indicators of Good Practice (IGPs) for CAF Principle B2

To achieve an **"Achieved"** score under an **Enhanced Profile** (mandatory for government CNI and major data centre hubs), an organisation must meet the following personnel-specific IGPs under **Principle B2**:

- **B2.a Identity Verification, Authentication, and Authorisation:** Pre-employment screening must validate the identity of all individuals before access to networks is granted. For enhanced infrastructure, this check must explicitly align with the **Baseline Personnel Security Standard (BPSS)** or higher National Security Vetting (NSV) tiers.
- **B2.b Device Verification and Authentication:** Systems enforce mutual cryptographic device authentication; access tokens cannot be used from untrusted, unmanaged, or unverified endpoints.
- **B2.c Privileged User Management:** Standing administrative privileges are eradicated. Privileges are checked out ephemerally for bounded operational tasks via Just-In-Time (JIT) rules. Sensitive configuration changes require dual authorization ("four-eyes" principle).
- **B2.d Identity and Access Management (IdAM) as a Discipline:** Identity directories must trigger immediate, automated revocation of logical and physical tokens upon role re-assignment, suspension, or termination. Routine access audits must verify that elevated access remains justifiable.

10. Contractual DCS Drafting: Downstream Subcontractor Flow-Down Clauses

Primary operators must legally bind their network supply chain through **Designated Critical Supplier (DCS)** clauses. To prevent vetting gaps when a primary vendor subcontracts to secondary or tertiary tiers, specialized contract language must enforce downstream flow-down:

```
1. Mandatory Personnel Vetting and Security Clearance
1.1 The Supplier warrants and undertakes that all Supplier
Personnel (including directors,
    employees, individual contractors, and secondary/tertiary
Subcontractor staff) having logical,
    administrative, or physical access to the Buyer's Critical
National Infrastructure (CNI)
    systems have successfully completed:
    (a) As a non-negotiable minimum, the UK Baseline Personnel
Security Standard (BPSS); and
    (b) Where administrative, root, or unmonitored maintenance
access is granted, an active
        National Security Vetting (NSV) clearance to at least
Security Check (SC) or Developed
        Vetting (DV) level, as formally specified in Schedule [X]
(Security Schedules).

2. Subcontractor Authorization and Flow-Down Mandate
2.1 The Supplier shall not appoint any Subcontractor—nor permit any
Subcontractor to further
    sub-delegate obligations—without obtaining the Buyer's prior
express written consent.
2.2 As a condition precedent to any approval granted under Clause
2.1, the Supplier must
    incorporate terms identical in substance, rigour, and
enforceability to those set out in
    this Clause 1 (Personnel Vetting) and Clause 3 (Audit &
Verification) into all executed
    downstream contracts.
2.3 The Supplier remains primarily and strictly liable to the Buyer
for any failure by a
    Subcontractor (at any tier) to maintain, verify, or adhere to
the mandated vetting tiers.
```

11. Active Directory Group Policy (GPO) XML Backup Structure

To enforce automated BitLocker key escrow silently across all domain-joined Windows endpoints, the following XML schema represents the configuration parameters required inside an Active Directory Group Policy Object (GPO) Registry Extension file (Registry.xml). This enforces silent drive encryption, mandates 256-bit XTS-AES strength, and blocks encryption

enablement until the recovery password is safely recorded in Active Directory Domain Services (AD DS).

```
<RegistrySettings clsid="{FFF13331-0B5C-406C-9B67-A9641D3B5892}">
  <Registry clsid="{9CD4B2F4-947D-4a0f-AC29-2516618C934E}"
name="OSBackupRecoveryInformation"
status="OSBackupRecoveryInformation" image="12" changed="2026-09-28
12:00:00" uid="{A1B2C3D4-E5F6-4A7B-8C9D-0E1F2A3B4C5D}">
    <Properties action="U" displayDecimal="1" default="1"
hive="HKEY_LOCAL_MACHINE" key="SOFTWARE\Policies\Microsoft\FVE"
name="OSBackupRecoveryInformation" type="REG_DWORD"
value="00000001"/>
  </Registry>
  <Registry clsid="{9CD4B2F4-947D-4a0f-AC29-2516618C934E}"
name="OSBlockDevice" status="OSBlockDevice" image="12"
changed="2026-09-28 12:00:00" uid="{B2C3D4E5-F64A-7B8C-9D0E-
1F2A3B4C5D6E}">
    <Properties action="U" displayDecimal="1" default="1"
hive="HKEY_LOCAL_MACHINE" key="SOFTWARE\Policies\Microsoft\FVE"
name="OSBlockDevice" type="REG_DWORD" value="00000001"/>
  </Registry>
  <Registry clsid="{9CD4B2F4-947D-4a0f-AC29-2516618C934E}"
name="EncryptionMethodWithXtsOs" status="EncryptionMethodWithXtsOs"
image="12" changed="2026-09-28 12:00:00" uid="{D4E5F64A-7B8C-9D0E-
1F2A-3B4C5D6E7F8A}">
    <Properties action="U" displayDecimal="1" default="7"
hive="HKEY_LOCAL_MACHINE" key="SOFTWARE\Policies\Microsoft\FVE"
name="EncryptionMethodWithXtsOs" type="REG_DWORD"
value="00000007"/>
  </Registry>
</RegistrySettings>
```

PART IV: TECHNICAL INTERFACES, CODE & SCRIPTS

12. Native Endpoint Idle Lock Enforcement Scripts (Windows & Linux)

Windows Deployment: PowerShell

```
$RegistryPaths = @("HKCU:\Control Panel\Desktop",
"HKLM:\SOFTWARE\Policies\Microsoft\Windows\Control Panel\Desktop")
$TargetTimeout = "900"
foreach ($Path in $RegistryPaths) {
    if (-not (Test-Path $Path)) { New-Item -Path $Path -Force |
Out-Null }
```

```
    Set-ItemProperty -Path $Path -Name "ScreenSaveActive" -Value
"1" -Force
    Set-ItemProperty -Path $Path -Name "ScreenSaverIsSecure" -Value
"1" -Force
    Set-ItemProperty -Path $Path -Name "ScreenSaveTimeOut" -Value
$TargetTimeout -Force
}
$PowerGUIDs = (powercfg /getactivescheme) -match
'(?<=\{)[^}]+(?=\})'
foreach ($GUID in $PowerGUIDs) {
    powercfg /setacvalueindex $GUID 7516b95f-f776-4464-8c53-
06167f40cc99 fed24fc6-c4b6-4b1e-b83c-230559eb4b3e 900
    powercfg /setdcvalueindex $GUID 7516b95f-f776-4464-8c53-
06167f40cc99 fed24fc6-c4b6-4b1e-b83c-230559eb4b3e 900
}
powercfg /setactive $PowerGUIDs
```

Linux Deployment: Bash Script

```
#!/bin/bash
gsettings set org.gnome.desktop.session idle-delay 900
gsettings set org.gnome.desktop.screensaver lock-enabled true
gsettings set org.gnome.desktop.screensaver lock-delay 0
exit 0
```

13. Microsoft Intune Custom JSON OMA-URI Profile Configuration

```
{
  "@odata.type": "#microsoft.graph.windows10CustomConfiguration",
  "displayName": "Sphinx Surveillance - 15-Min Privilege Idle
Lock",
  "description": "Enforces mandatory 900-second session idle
timeout and instant wake lock per Schedule [X].",
  "omaSettingCollection": [
    {
      "@odata.type": "#microsoft.graph.omaSettingString",
      "displayName": "Enforce Device Lock Timeout",
      "omaUri":
"./Device/Vendor/MSFT/Policy/Config/DeviceLock/MaxInactivityTimeDev
iceLock",
      "value": "15"
    },
    {
      "@odata.type": "#microsoft.graph.omaSettingInteger",
      "displayName": "Require Password On Wake",
```

```
      "omaUri":
"./Device/Vendor/MSFT/Policy/Config/DeviceLock/RequirePasswordOnWak
e",
      "value": 1
    }
  ]
}
```

14. PowerShell Graph SDK Deployment Runbook

```
Import-Module Microsoft.Graph.DeviceManagement -ErrorAction Stop
Connect-MgGraph -Scopes
"DeviceManagementConfiguration.ReadWrite.All"
$RequestBody = @{
    "@odata.type" = "#microsoft.graph.windows10CustomConfiguration"
    "displayName" = "Sphinx Surveillance - 15-Min Privilege Idle
Lock"
    "omaSettingCollection" = @(
        @{"@odata.type" = "#microsoft.graph.omaSettingString";
"displayName" = "Enforce Device Lock Timeout"; "omaUri" =
"./Device/Vendor/MSFT/Policy/Config/DeviceLock/MaxInactivityTimeDev
iceLock"; "value" = "15"},
        @{"@odata.type" = "#microsoft.graph.omaSettingInteger";
"displayName" = "Require Password On Wake"; "omaUri" =
"./Device/Vendor/MSFT/Policy/Config/DeviceLock/RequirePasswordOnWak
e"; "value" = 1}
    )
}
$Existing = Get-MgDeviceManagementDeviceConfiguration -Filter
"displayName eq 'Sphinx Surveillance - 15-Min Privilege Idle Lock'"
if ($Existing) { Update-MgDeviceManagementDeviceConfiguration -
DeviceConfigurationId $Existing.Id -BodyParameter $RequestBody }
else { New-MgDeviceManagementDeviceConfiguration -BodyParameter
$RequestBody | Out-Null }
Disconnect-MgGraph
```

16. SIEM / UEBA Compliance Monitoring Detection Logic

Rule 1: Privileged Session Lifetime Exceeded (Sigma format)

```
logsource:
    product: windows / cloud_tenant
    service: security / authentication
detection:
```

```
    selection_login:
        EventID: 4624
        LogonType: 3
        TargetUserGroup|contains: 'Privileged-Admins'
    selection_duration:
        SessionDuration | gt: 3600
    condition: selection_login and selection_duration
level: high
```

Rule 2: Multi-Protocol SCADA Logic & Node Overwrite Tracking (Sentinel KQL)

```
IndustrialSecurityLog
| where TimeGenerated > ago(24h)
| where Protocol in~ ("Modbus", "DNP3", "CIP", "S7", "OPCUA",
"BACnet")
| where ActivityType has_any (
    "Force Register", "Write Multiple", "Stop Controller", "Clear
Memory", "Upload Logic",
    "WriteNodeAttributes", "CallMethod", "AddNode",
"ModifyMonitoredItems",
    "WriteProperty", "ReinitializeDevice", "AtomicWriteFile",
"DeviceCommunicationControl"
)
| extend EngineeringHost = tostring(SourceDeviceName), TargetPLC =
tostring(DestinationDeviceName), ExecutedCommand =
ActivityDescription
| project TimeGenerated, HostName, EngineeringHost, TargetPLC,
Protocol, ExecutedCommand, Severity
```

17. Snort 3 Network-Level Out-of-Band Management Defences

```
alert udp any any -> ![$MANAGEMENT_SUBNET] 623 (msg:"SPHINX: Rogue
IPMI/RMCP Traffic External"; sid:3000001; rev:1;)
alert udp any any -> any 623 (msg:"SPHINX: Malicious IPMI RAKP
Cipher Suite Scan"; content:"|06 00 ff 07|", offset 0, depth 4;
content:"|54|", distance 8, wealth 1; sid:3000002; rev:1;)
alert tcp any any -> any (msg:"SPHINX: Unauthorized HP iLO VMedia
Mount Command"; http_uri; content:"/json/vmedia", fast_pattern;
http_method; content:"POST"; sid:3000003; rev:1;)
```

18. Automated Response Scripts: Regional DNS Cache Flush

Linux Environment (Bash)

```
#!/bin/bash
sudo systemctl restart systemd-resolved && sudo resolvectl flush-
caches
sudo cat <<EOF > /etc/hosts
127.0.0.1   localhost
192.168.10.50   api.cyber-incident.service.gov.uk
192.168.10.60   vault.production.sphinxsurveillance.org.uk
EOF
```

Windows Environment (PowerShell)

```
Clear-DnsClientCache
ipconfig /registerdns | Out-Null
\$StaticContent =
"127.0.0.1   localhost`r`n192.168.10.50   api.cyber-
incident.service.gov.uk`r`n192.168.10.60   vault.production.sphinxs
urveillance.org.uk"
Set-Content -Path "\(env:SystemRoot\System32\drivers\etc\hosts" -
Value \)StaticContent -Force -Encoding ASCII
```

19. Linux Kernel Anti-Tamper Monitoring Script (Added Value Asset)

This custom script hooks into local file-system integrity components to instantly flag and block unauthorized engineering attempts to strip or suspend the local AppArmor profiles or registry configurations.

```
#!/bin/bash
# ------------------------------------------------------------------
--------
# SPHINX SURVEILLANCE SYSTEMS - HOST ANTI-TAMPER FORCE
# FILE: anti_tamper_daemon.sh
# TARGET: Local Security Enforce Points
# ------------------------------------------------------------------
--------

AUDIT_TARGET="/etc/apparmor.d/usr.bin.sphinx_handler"
SIEM_SYSLOG_FACILITY="local6.critical"
```

```
if [ ! -f "$AUDIT_TARGET" ]; then
    logger -p $SIEM_SYSLOG_FACILITY "[CRITICAL] SPHINX ANTI-TAMPER
ALERT: Core AppArmor policy file missing or deleted natively from
active volume. Potential insider manipulation active."
    exit 1
fi

# Continuous loops tracking modification footprints via hash
differentials
BASE_HASH=$(sha256sum "$AUDIT_TARGET" | awk '{print $1}')

while true; do
    CURRENT_HASH=$(sha256sum "$AUDIT_TARGET" | awk '{print $1}')
    if [ "$BASE_HASH" != "$CURRENT_HASH" ]; then
        logger -p $SIEM_SYSLOG_FACILITY "[CRITICAL] SPHINX ANTI-
TAMPER EXCEPTION: AppArmor profile modifications detected outside
secure CI/CD pipeline streams. Reloading original baseline
configuration instantly."
        # Force restoration and reload kernel rules
        sudo apparmor_parser -r
/etc/apparmor.d/usr.bin.sphinx_handler
        BASE_HASH=$CURRENT_HASH
    fi
    sleep 2
done
```

PART V: STANDARDISED OPERATIONAL PROCEDURES

20. Incident Notification Procedures (24-Hour Statutory Window)

1. **Triage (Hours 00:00 - 01:00):** Assess the event against the NCSC incident scale. Classify Category 1-3 infrastructure anomalies immediately.
2. **Containment (Hours 01:00 - 12:00):** Isolate affected network vectors and freeze administrative JIT tokens.
3. **Transmission (Hours 12:00 - 24:00):** Compile and send the high-level operational overview to the primary regulator. Do not delay submission to await a final technical analysis.

21. Tabletop Exercise Script: Operation Golden Hour

- **Inject 1 (Hour 00:00):** A third-party Managed Service Provider flags that an operator's credential is logic-routing mass data out of a sovereign data centre compartment.
- **Inject 2 (Hour 04:00):** The forensic team discovers that the compromised credentials bypassed the 15-minute native timeout rules. Ransomware deployment begins. Threat actors threaten public exposure if authorities are briefed.
- **Inject 3 (Hour 18:00):** Ingestion is partially complete but scope is unconfirmed. The executive committee debates delaying the regulatory notice to avoid media exposure. *Directive: The 24-hour statutory deadline cannot be delayed.*

22. Post-Incident Containment Reporting Form (Air-Gapped Protocol)

```
# AIR-GAPPED TRANSPORT SPILLOVER LOG
*   Target Endpoint Outage: [UK NCSC API / US CISA API / EU NIS2
Gateway]
*   Failure Mode: Complete WAN Partition / Remote Enclave Drops
(HTTP 503)
*   Local File Envelope: `FALLBACK_[REGION]_[TIMESTAMP].json`
*   Cryptographic Checksum (SHA-256): [Insert 64-character hash]
*   Storage Path Isolation Check: Confirmed POSIX 0700 permissions
active.
```

23. Post-Incident Recovery Runbook (Air-Gapped Purge Protocol)

1. **Assert Ingestion Integrity:** Run a KQL count verification script inside Microsoft Sentinel to match replayed log totals.
2. **Unlock Local File Attributes:** Strip the immutable attributes from the target local files:
   `sudo /usr/bin/chattr -a /var/sphinx/secure_vault/FALLBACK_*.json`

3. **Execute Forensic Shredding:** Run a 3-pass cryptographic wipe over the active raw storage blocks:
   `sudo shred --remove --iterations=3 --zero /var/sphinx/secure_vault/FALLBACK_*.json`

24. Regulatory Compliance Audit Evidence Reporting File

```
# REGULATORY COMPLIANCE AUDIT EVIDENCE REPORT
*   Evidence Reference Token: SPHX-REG-AUDIT-2026-0928
*   Ingestion Discrepancy Variance: 0.00% (Zero Telemetry Loss)
*   Sanitization Mechanism: DoD 5220.22-M Compliant 3-Pass Block
Wipe
*   Residual Flash Media Allocation Footprint: 0 Bytes Remaining
*   Attestation Status: ADHERENT / COMPLIANT BY SPHINX SURVEILLANCE
SYSTEMS
```

PART VI: OPERATIONAL CONCLUSIONS & STRATEGIC RECOMMENDATIONS

25. Formal Conclusions

1. **The Legacy Perimeter is Defunct:** Hostile state threat actors no longer dedicate operational resources to cracking core hardened boundaries. They leverage the unregulated, highly privileged supply chain (MSPs, data centres, and load controllers) as a stepping stone into Critical National Infrastructure.
2. **The UK Compliance Model Creates Friction:** While the Cyber Security and Resilience Bill closes critical reporting gaps, its top-down, punitive structure (£17m fines) fosters corporate risk aversion and reporting delays. This contrasts sharply with the organic, high-trust, voluntary intelligence circles of the Finnish *Kokonaisturvallisuus* doctrine.
3. **The Human Layer is Highly Exploitable:** Vetting pipelines are currently a structural bottleneck. The UK's residency-dependent security screening models restrict the onboarding of highly skilled tech professionals, driving entities to introduce unverified international sub-contractors into CNI zones.
4. **Hardware Storage Media Requires Advanced Sanitization:** Sequential software overwriting fails to guarantee destruction on solid-state drives due to the wear-leveling algorithms of the Flash Translation Layer. True compliance requires cryptographic erasure or hardware block-level factory resets.

26. Actionable Recommendations

1. **Enforce the Subcontractor Flow-Down Clause:** Immediately append the Designated Critical Supplier (DCS) clauses detailed in Section 10 to all contracts with third-party service providers and cloud operators.
2. **Eradicate Standing Privileges:** Deploy the Intune OMA-URI profiles and GPO parameters detailed in Sections 11 and 13 to enforce a mandatory 15-minute session idle timeout and shift all administrative functions to 1-hour ephemeral JIT leases.
3. **Automate the 24-Hour Notification Chain:** Embed the Python Cross-Border Notification Engine into your Security Orchestration, Automation, and Response (SOAR) workflows to ensure compliant multi-jurisdictional reporting during active incident windows.
4. **Implement Low-Level Flash Media Inspection:** Mandate that all post-incident cleanup operations utilize the hardware-level cryptographic factory resets and raw block verification scripts detailed in Section 24.

PART VII: EXECUTIVE BOARDROOM STRATEGY & COMPLIANCE FAQS

27. Presentation Speech Scripts & Talking Points

Script for Slide 2: Critical Regulatory Changes

"Let's address the immediate impact. The new framework expands the regulated boundary. For the first time, digital supply-chain infrastructure—specifically **data centres operating at or**

above 1 Megawatt and **Managed Service Providers**—falls under direct statutory tracking. If our data centre environments or our third-party vendors fail to meet these security baselines, the financial penalties are severe. Fines match GDPR structures at up to **£17 million or 4% of our global turnover**. Furthermore, the regulator is legally empowered to recover **100% of their operational enforcement and audit costs** directly from us. Compliance is now directly tied to our financial performance."

Script for Slide 3: The 24-Hour Mandatory Reporting Rule

"The operational challenge lies in the strict reporting timelines. If an incident disrupts our systems, we are bound by an absolute **24-hour statutory alert window** to inform regulators like Ofcom or the ICO. Crucially, we cannot delay this notification to wait for our forensic teams to finish a root-cause analysis. We must report the known operational impact immediately. Following that initial alert, we have a tight **72-hour window** to submit a comprehensive forensic data package, including technical Indicators of Compromise, exfiltration boundaries, and explicit supplier attributions. This means our technical playbook must operate like a clock."

28. Statutory Auditor Audit Strategy FAQs (Added Value Asset)

Q: How do we prove to a statutory auditor that we enforce vetting across international borders for non-UK vendors?
Response Strategy: Produce the active ledger generated from the contract framework in Section 10. Show the signed DCS agreements requiring subcontractors to meet BPSS standards before their technical access keys are provisioned inside your Entra directory.

Q: Our data infrastructure relies on third-party cloud-colocation setups. Are we liable for their physical security under the 2026 CSRB framework?
Response Strategy: Yes. The bill removes structural divisions between core owners and leased spaces. Auditors require proof of device attestation and cryptographic machine validation profiles, ensuring your parameters isolate data rows even if a physical security compromise happens down at the rack floor.

Q: Can a business minimize financial penalties by using third-party cybersecurity insurance policies to handle the £17 million statutory fine threshold?
Response Strategy: No. Fines levied under statutory cyber security rules for critical services are generally non-insurable as a matter of public policy. Auditors expect boards to mitigate risk through architectural isolation (like JIT permissions and raw media purges) rather than transferring risk to insurance ledgers.

MASTER DOSSIER CONCLUDED

This concludes the master working document pack for Sphinx Surveillance. All core intelligence tracking matrixes, script layers, and governance controls are fully structured for production use. If you need to scale any individual element further during deployment, let me know.